

• 2-day map where ISS crosses the Moon in Google Map

Name: ISS Launched: 20 Nov 1998 Artificial Satellites > Internat. Space Station ISS

Dimensions:	109 m x 73 m x 27.5 m	• Orbit History/Zoom
Brightness:	-2.0 mag (at 1000 km, 50% illuminated) -4.7 mag (at perigee, full illumination) Mean magnitude from visual observations	 Sighting Opportunities Data & view of the Earth
RCS:	402m ² (Radar cross section)	· Finder Chart
USSPACECOM Nr:	25544 Internat. Designator: <u>1998-067</u> A	· Ground Track Map
Orbit:	405.3 x 428.1 km, 92.9min Inclination: 51.6°	Transit Centerline
Age Elements:	3 0.1 days	• Orbit Elements (TLE)

Select satellite events for your location

☑ Show satellite passes

□ Show invisible passes: Calculate all passes, day or night, even if not optically visible

Auto
Minimum elevation: Show satellite passes with at least this altitude above horizon

Automatic Maximum sun elevation: Sun must be below this altitude limit during the satellite pass

Additional filters are available in the highest user level

☑ Close fly-bys of satellite with sun, moon, planets, and stars

Maximum angular separation from	• 1½°	© 5°	© 10°	© 15°
Sun/Moon/planets/stars for close encounters:				

Maximum distance to center line:

or ^o 5 km ^o 10 ^o 15 ^o 25 ^o 50 ^o 100 ^o 250 km

- □ Only transits: Calculate and display sun/moon/planet/star crossers only, but no close encounters
- □ Only Sun/Moon events: Display transits/encounters only with the Sun or Moon, but not with planets and stars
- □ Satellite must be illuminated: Display only transit/encounter events where the satellite is illuminated by the Sun and hence visible; e.g., the satellite can be detected as a dark silhouette against the Moon
- ☐ **Hide 'double' solar transits** (events/geographic places with passing of the satellite in front of the Sun on consecutively passes)
- ☐ Mirror hemisphere images: the satellite tracks are shown with reversed east and west directions

Wednesday	22	August	2012
-----------	----	--------	------

Time (24-hour clock)	Object (Link)	Event
\$	Observer Site	Draguignan, France WGS84: Lon: +6d28m00.0s Lat: +43d32m00.0s Alt: 234m All times in CET or CEST (during summer)
^{\$\$} 22h17m47s	$\underbrace{ISS}_{ Ground track}$	Appears 22h12m18s 3.0mag az:301.4° WNW horizon Culmination 22h17m47s -4.1mag az:213.8° SW h:82.1° distance: 431.0km height above Earth: 427.4km elevation of Sun: -19° angular velocity: 1.02°/s at Meridian 22h17m52s -4.2mag az:180.0° S h:80.5° Disappears 22h18m11s -4.2mag az:142.2° SE

Artificial Satellites > Internat. Space Station ISS



Hide glossary

Glossary:

Time

The local time in 24-hour format at which the satellite is visible at its best. The satellite may be observable *before* this time. 0:00 or 0h00m is midnight, 12h is noon, 18h is 6 pm. The time zone is the one indicated on the left of the Earth icon on top of (almost) each page. Daylight saving is applied automatically.

Appears

Local time at which the satellite appears visually. The first figure indicates the **visual brightness** of the object. The smaller the number, the brighter and more eye-catching it appears to an observer. The units are astronomical magnitudes [m]. **Azimuth** is given in degrees counting from geographic north clockwise to the east direction. The threecharacter direction code is given as well. In case the satellite exits from the Earth shadow and comes into the glare of the Sun, the elevation above horizon is given in degrees for this event. If this figure is omitted, the satellite is visible straight from the horizon.

Culmination

Time at which the satellite reaches his highest point in the sky as seen from the observer. For description of the figures see **Appears**. Visually "better" passes of satellites are indicated by highlighting the information. The selection within the list of all possible transits is coupled with the observer level, the daylight, and several other conditions.



Économisez

NNW NN NNE

SSE

NW

SW

99W

WNW

W

WSW

at Meridian

Time of the transit of the meridian, i.e. the satellite is due South or due North. At this time, the satellite will not reach its highest point of the pass. Look for culmination.

Disappears

Local time of visual disappearance of the satellite. This may either be the time at which the satellite moves below the observer's horizon or the entry of the object in the shadow of Earth (the elevation is given for this event). The low Earth orbiting (LEO) satellites are usually visible for about 10 seconds more than the listed time, when they start fading rapidly.

Magnitude/Mag:

The magnitude indicates the **visual brightness** of an object. The brightest star (Sirius) reaches -1.4m, whereas 6m is the limit of the unaided eye. Venus, the brightest planet, reaches -4m. The Moon at first quarter is -8m, about the same magnitude that the brightest Iridium flares can produce.

Object

The name and identification information of the satellite. Besides the name, the number in the catalog of the USSPACECOM is given (5-digits code), and the International Designator Code in the form launch year - launch number of the year - launch part (usually one launch produces several orbiting objects).

Spy Satellites:

Satellites with name **USA** are US military satellites (common names e.g., Keyhole KH, Lacrosse).

Close to Moon/Sun

The satellite is closer than 1.5 degrees from the center of the Moon or the Sun, but the satellite does not cross in front of the Moon/Sun. The direction and distance to the center line on Earth is given. *For the Sun, move to the indicated center line position and observer with proper equipment. By no means observe the Sun without special filters!*

Crosses the disk of Moon/Sun:

The satellite passes in front of the Moon or the Sun; the event may be observed using a small telescope (equipped with special mylar filters for the Sun only!), especially if the event takes place in broad daylight. The direction and distance to the center line on Earth is given. Moon phases are not checked for. The timing may slightly change due to the quality and age of the used orbital elements and active orbit maintenance. *By no means observe the Sun without special filters!* Please feel free to report successful observations!

Separation

Angular distance of an object (e.g., star) with regard of the reference object (e.g., main star or center of moon). Often, this value is given for the closest distance among two objects.

Position Angle / PA

Angle, defining a position on an apparent disk or the position of a dimmer star with regard of the main star. It is counted around the reference points (center of disk/brighter star) from *celestial north* direction 0° to east (left) 90°, south 180° to west (right) 270° in counter clockwise direction.

Clock-face Direction

In a simple clock-face coordinate system with the clock face superimposed on the satellite itself, with 12:00 o'clock being at the top and 9:00 o'clock being at the left, the satellite will seem to move toward the given direction. This number is helpful when observing with binoculars.

Daylight pass

This satellite pass over the observer is taking place on broad daylight and cannot be observed without special equipment (automated guided telescope or radio ham equipment).

Radio pass

The satellite is not outside the shadow of Earth during the whole pass (hence not lighted by the Sun) and is therefore not visible. However, using radio equipment, the satellite can be detected.

Ascending/descending Orbit:

Satellites are orbiting around the earth center. Therefore the point on the Earth surface "below" the satellite (i.e., the sub-satellite point) crosses the equator twice every orbit. The part of the orbit with northernbound motion component is called ascending, and a southernbound motion is called descending.

Rise

The satellites rises above the horizon of the observer (cf. **Appear** for visual rising of the satellite).

Set

The satellites sets below the horizon of the observer, but may not have been visible before (cf. **Disappear**).

Side-look

Time at which the observer is passing exactly at the side of the satellite (as seen from the satellite).

Off-Nadir

Angle at which the observer appears from the nadir (down direction) as seen from the satellite.

Squint angle

Angle relative to the satellite orbit; flight direction is 0°. The angle is counted clockwise, with right looking at 90° and left looking at 270°.

Range

Distance to the satellite.

0-Doppler / Zero-Doppler

Time at which the range between satellite and observer does not change, i.e., the range rate is zero.

Forecasted Decay:

All Earth orbiting satellites are exposed to atmospheric drag, which lowers the orbit. Usually, this is countermeasured by frequent firings of the rocket engines - as long there is propulsion available. At an altitude of about 120 km, the objects are destroyed in the atmosphere by a fiery play; the over 100 km long light trace is visible even at daylight. Predications however are difficult. CalSky calculates the evolution of the satellite elements Artificial Satellites > Internat. Space Station ISS

and the time of final decay based on <u>SatEvo</u> by Alan Pickup.

<u>Top</u>

This material is ©1998-2012 by Arnold Barmettler (Imprint). Hard

Create new default account/Login copies may be made for personal use only. No electronic copy may be located elsewhere for public access. All pages are dynamically generated. The usage of web copy tools is strictly prohibited. Commercial usage of the data only with written approval by the author. If you have any questions or comments, or plan to use results from *CalSky* in your publications or products, please contact us by e-mail. Credits. Dieser Service wird in der Schweiz entwickelt und betrieben; Sie können uns auch gerne auf Deutsch schreiben.

Happy User Donation

Software Version: 13 September 2012 Database updated 0 min ago Current Users: 121

17 Sep 2012, 9:32 UTC 40 minutes left for this session 💷

Google	Search
© Web	